Index to Volume IX

Abasia, 60, 61
Abudefduf albofasciatus, 452
  imparipennis, 452, 465
  johnstonianus, 453
  phoenixensis, 452, 464
  sordidus, 452, 465
Acacia farnesiana, 91
Acanthidium eglantina, 349
Acanthocaulus, 362
Acanthurus, 359–365
  achilles, 364, 459, 465
  aliala, 467
  altivelis, 405
  argenteus, 364, 365
  bleekeri, 364, 365
  Blochii, 398
  chirurgus, 409
  coeruleus, 364
  ctenodon, 365
  desjardinii, 398
  élégant, 399
  elongatus, 460, 465
  fasciatus, 399
  flavescens, 404, 405
  gahhm, 364
  gaudryi, 361
  gazolae, 361
  gemmatus, 401
  glaucopareius, 364
  goramensis, 405
  guttatus, 364
  hepatus, 362, 408
  hypselopterus, 399
  kipas, 399
  leucosternon, 365
  lituratus, 361, 460
  maristarum, 399
  nigrofuscus, 364
  nubilus, 364, 365
  olivaceus, 407, 460, 465
  rhombeus, 405, 406
  rostratus, 363, 403
  rüppellii, 398
  sandvicensis, 460, 464, 468, 469, 474–478
  scopas, 363, 397, 405
  sohal, 364
  strigosus, 365
  suillus, 399
  teuthis, 408
  theuthis, 408
  thompsoni, 364, 365
  triangulus, 408, 409
  triostegus, 364, 460, 469, 474–478
  unicornis, 364
  velifer, 363, 396, 398
  virgatus, 399, 404
  xanthopterus, 364
  xanthurus, 402
Acetabularia parvula, 355
Acronurus, 364
Acropora, 467
Additional Records to the Flora of Johnston Island, 91–92
Aedes, 222
  kochi, 223
Aeolidia edmondsoni, 112, 133
Aetobatus narinari, 443
Agathirses, 10, 11
Agelas mauritiana, 139
  albatross, 375
Alebion crassus, 177, 182
  echinatus, 177–182
***Alebion echinatus* Capart from Japanese Waters, with Observations on the Newly Found Male Form**, 177–182
Aletes, 3, 5, 6
  squamigerus, 5, 7, 8
Algal Collections from Funafuti Atoll, 354–356
Alicaligus, 56, 60–61
  tripartitus, 56–61
***Alicaligus tripartitus* gen. et sp. nov., a Caligid Copepod Found on the Gills of *Sarda orientalis* (T. & S.)**, 56–61
ALLEN, F. E.:
  Breeding Temperatures of *Mytilus*, 107–109
Allium fistulosum, 91
  sp., 91
Alocasia, 233
Alpinia sp., 91
Amanses carolae, 462
  sandwichiensis, 462, 465
Amaranthus dubius, 91
Ammodytes tobianus, 165
Analysis of the Genera of Surgeon Fishes (Family Acanthuridae), 359–367
Anamixis
  hanseni, 30
  linsleyi, 28–30
  stebbingi, 30
Anarchias allardicei, 445, 464
  cantonensis, 445, 464
  leucurus, 445, 464
Anas acuta tzitziboa, 46
Annotated List of Birds Observed on Christmas Island, October to December 1953, 42–48
Anous minutus minutus, 46
  stolidus, 105
  stolidus pileatus, 46
Anthurium andraeanum, 91
Antithamnion, 294
Apiacera minuta, 69, 70, 71
Apogon erythrinus, 449, 465
  frenatus, 450
  menesemus, 450, 464
  snyderi, 450, 465
  waikiki, 450, 464
Apostasella, 361
Apsona, 16, 19
  caerulea, 16, 21
  muscaria, 16
Araucaria cookii, 221, 240, 243
  excelsa, 91

Arenaria interpres interpres, 47
Argyropelecus affinis, 319, 321
heathi, 319, 321, 322
hemigymnus, 322
sladeni, 319, 322
Arothron meleagris, 463, 465
Ascyltus pterygodes, 70, 72
Aspisurus, 363
elegans, 361, 362
Assessor macneilli, 260
Asystasia coromandeliana, 62
gangetica, 62
Athamas whitmei, 70, 72
Atherion elymus, 297
Atulonotus, 366
Atys semistriata, 111, 112
Aulorhamphus, 361
Aulostomus chinensis, 449, 465
Avarua, 73
satchelli, 70, 73
Arrainvillea pacifica, 355
Awaous, 160–166
stamineus, 158, 159
Axinurus, 361, 362, 365
thynnoides, 361

Balistes aculeatus, 462
buniva, 462
vidua, 462
BARNARD, J. LAURENS:
Two New Spongicolous Amphipods, 26–30
Barrosia, 260
Bathygobius fuscus, 460, 465
Bavia aericeps, 70, 72
BELKIN, JOHN N.:
Mosquitoes in Melanesia, 221–246
Belone carinata, 448
persimilis, 447, 448
platyura, 447, 448
Benhamina obliquata, 86, 88
BERNER, LEO D.:
New Pelagic Tunicates from the Eastern Pacific Ocean, 247–253
Bivonia, 3, 6, 7
triqueter, 7
Bodianus bilunulatus, 453, 465
Body Temperature of Wild *Rattus* spp. on the Island of Hawaii, 369
Boodlea siamensis, 355
Bostrychia arbuscula, 85
Bothus mancus, 462, 465
Bougainvillea sp., 91
BOWMAN, THOMAS E.:
New Species of Copepod from Northeastern Pacific and Notes on *Calanus tenuicornis*, 413–422
Brachysomophis henshawi, 443
sauropsis, 443, 464
Brassaia actinophylla, 92
Brotula townsendi, 460, 465
Bryopsis minor, 387
monoica, 387
Bulla physis, 113
Burobulla, 362

Calanus finmarchicus, 416
gracilis, 413, 414, 416
lighti, 414–421
minor, 416
robustior, 413, 414, 416
tenuicornis, 413–421
Calgodes, 60, 61
Callicanthus, 361, 366
Callyodon ahula, 459
bataviensis, 459
bennetti, 456
brunneus, 456
dubius, 456
erythrodon, 459
gilberti, 457
formosus, 457
jenkinsi, 457
lauia, 457
perspicillatus, 457, 458
Callyspongia fistularis, 139
Calophyllum inophyllum, 91
Calothrix confervicola, 354
Calotomus sandvicensis, 455
Cananga odorata, 84
Canthigaster jactator, 463, 465
Capsicum frutescens, 91
Carangoides ferdau jordani, 452
Caranx ascensionis, 452
dasson, 452
gymnostethoides, 452
lugubris, 452
melampygus, 452
Carica papaya, 91
Catharanthus roseus, 91
Caulerpa cupressoides, 355
ellistoniae, 388
racemosa var. *uvifera*, 355
scalpelliformis, 388
urvilliana, 355
Centroceras clavulatum, 356
Centropages hamatus, 421
typicus, 421
Centropyge flammeus, 459, 463
nigriocellus, 459, 463
Ceramium personatum, 356
"Cerdale" bilineatus, 168
Ceris, 361
Chaenogobius, 165
Chaetodon auriga, 459, 465
citrinellus, 459, 465, 467
ephippium, 459, 465, 467
multicinctus, 459, 464, 468, 469, 474, 477
ornatissimus, 459, 463
punctatofasciatus, 459, 469, 474
quadrimaculatus, 459, 463
setifer, 459
sohal, 363, 364
trifasciatus, 459, 463
unicornis, 361
unimaculatus, 459, 465
CHAPMAN, V. J.:
Algal Collections from Funafuti Atoll, 354–356
Charopa anguiculus, 328
microdiscus, 328
solomonensis, 328
Cheilinus digramma, 453, 465
rhodochrous, 453, 465
Chenopodium murale, 91
Chloroclados australasicus, 394
Chlorodesmis australis, 388, 389
hildebrandtii, 389
pusilla, 388, 389
Choanites, 140

Chondrosia chucalla, 142
Chromis dimidiatus, 452
leucurus, 452, 464, 468
vanderbilti, 453, 464
Cirrhitus alternatus, 442, 452, 464, 468, 469, 474, 477
maculatus, 452
pinnutatus, 469, 474
Cirripectus variolosus, 460, 465
Citrullus vulgaris, 91
Citrus aurantifolia, 91
Cladophoropsis bulbosa, 391, 392
herpestica, 391
magnus, 390–392
membranacea, 354
mem. repens, 355
zollingeri, 355
Cliona lobata, 141
Clubiona samoensis, 70, 71
Coccoloba uvifera, 91
Codiacum variegatum, 91
Codium, 390
Colocopus, 363
lambdurus, 363, 408
Compsothamnion, 291
Conger noordziekii, 443, 464
Conopistha samoensis, 70, 75
unimaculata, 69, 70, 75
Conopoderas aequinoctialis aequinoctialis, 44, 47
Cordia subcordata, 105
Cordyline terminalis, 91
Corinna sp., 70, 71
Corythoichthys flavofasciatus, 297
Crocethia alba, 47
Crystallodytes cookei, 165, 477
Ctenochaetus, 359, 360, 365
striatus, 365, 406, 460
strigosus, 460, 465
Ctenodon, 364, 365
Culex, 222
Culiseta, 222
Cunantha, 346
Cunina, 346
Cunoctantha, 346
Cyclosalpa affinis, 247–250
bakeri, 248, 249
pinnata, 247–249, 251–253
pinnata polae, 251–253
pinnata quadriluminis, 247, 251–253
strongylenteron, 247–251, 253
virgula, 248
Cyphomycter, 361, 365
Cypselurus poecilopterus, 449
simus, 449
Cyrtophora moluccensis, 71, 76

Dascyllus albisella, 453, 464, 477
marginatus, 453
trimaculatus, 453
Dasycladus clavaeformis, 393
densus, 387, 392–394
Dasyptilon, 292
pellucidum, 292–295
DELAUBENFELS, M. W.:
Sponges of Onotoa, 137–153
DELL, R. K.:
Land Mollusca of Nissan Island, Solomon Islands, 324–331
Land Mollusca of the Treasury Islands, Solomon Islands, 423–429
Tornatellinid Land Mollusk from the Solomon Islands, 357–358
Dendrotrochus, 331, 426
cineraceus, 423, 426
cineraceus, 427, 429
cleryi, 427
simboana, 427
tenera, 427
heliconoides, 426, 427
Development of *Kerguelenella stewartiana* (Powell) (Gastropoda: Siphonariidae), 85–89
Dictyosphaeria cavernosa, 355
versluysii, 355
Dictyota bartayresiana, 356
dichotoma, 355
Diodon hystrix, 463, 465
Diomedea nigripes, 47, 375–381
Diplommatina aerari, 423, 424, 428
solomonensis, 423, 425, 429
Discocharopa exquisita, 328
Distribution of Black-footed Albatross, *Diomedea nigripes*, off the West Coast of North America, 1949 and 1950, 375–381
Dolabella variegata, 112, 118
Donatia stellagrandis, 142
Doridopsis macfarlandi, 112, 128
Doris cardinalis, 130
pilosa, 127
prismatica var. *lineata*, 127
sandwichensis, 130
Dysidea chlorea, 138
fragilis, 138

Echidna leucotaenia, 445, 464
polyzona, 445, 464
zebra, 445, 464
Ectatosticta davidi, 277
troglodytes, 277
Ectocarpus indicus, 355
Efate, 73
Eleotris, 159–166
marmorata, 160, 163
pisonis, 159
sandwicensis, 158–160
Elysia degeneri, 112, 124
elsieae, 112, 122
lobata, 124
nealae, 112, 125
Emerita analoga, 385
pacifica, 382
EMERY, K. O.:
Submarine Topography South of Hawaii, 286–291
Enteromorpha procera, 354
Epeira theisi, 71, 76
Epibulus insidiator, 453, 464, 466
Epinephelus, 164, 466
Eragrostis amabilis, 91
ERSKINE, DAVID:
Reproduction and Affinities of *Dasyptilon* (Ceramiaceae; Rhodophyceae), 292–296
Eudodonta (Charopa) solomonensis, 328
Eulonchus, 16, 20
smaragdinus, 16, 20
Euphorbia glomifera, 91
hirta, 91
pulcherima, 91
Euphranta, 77, 79
connexa, 80

flavorufa, 80
hammersteini, 80
maxima, 80
minor, 80
naevifrons, 80
nigra, 80
scutellata, 80
skinneri, 80
Euphranta (Staurella), 82
apicalis, 82
camelliae, 82
canangae, 82, 83
chrysopila, 82
corticicola, 82
conjuncta, 82
crux, 82
dissoluta, 82
jucunda, 82
lemniscata, 82
licenti, 82
linocierae, 82, 83
luteifasciata, 82
maculifemur, 82
maculifrons, 82
mediofusca, 82
mikado, 82
nigrescens, 82
nigripeda, 82
nigrocingulata, 82
oshimensis, 82
oshimensis f. *separata*, 82
rivulosa, 82
sexsignata, 82
suspiciosa, 82
suspiciosa scutellaris, 82
zeylandica, 82
Eustomopsis erinaceus, 327
eustoma, 324, 327, 330
Eviota, 162–166
epiphanes, 158, 159
viridis, 460
Evolution of Vermetid Gastropods, 3–15
Exallias brevis, 460, 465

Feeding Habits of the Sand Crab *Hippa pacifica* (Dana), 382–386
Fishes Killed by the 1950 Eruption of Mauna Loa. III. Sternoptychidae, 318–323
Fistularia petimba, 449, 465
FORSTER, R. R.:
A New Family of Spiders of the Sub-order Hypochilomorphae, 277–285
Fosliella farinosa, 356
Foxidonta stevensoni, 328
Fregata minor palmerstoni, 46
Fretum, 326
treasuryensis, 426
FUJIMOTO, GIICHI, *et al.*:
Laterite of Meyer Lake, Molokai, 49–55
FUJIOKA, JUDITH, *et al.*:
Laterite of Meyer Lake, Molokai, 49–55

Galaxaura filamentosa, 356
Gardenia sp., 91
Genetics of Flower Color in *Asystasia gangetica* Linn., 62–68
Geomorphic Contrasts Within the Koolau Range of Oahu, Hawaii, 304–317
Geophorus agglutinans, 423, 426
Glossodoris prismatica lineata, 112, 127
Glossogobius, 165
Gnatholepis anjerensis, 460, 465
Gobiodon, 159–162, 164–166
rivulatus, 158, 159
Gobitrichonotus, 167
Gobius crassilabris, 159
Gomphosus tricolor, 453, 465
varius, 453, 465
GOSLINE, W. A.:
Osteology of Gobioid Fishes, 158–170
Inshore Fish Fauna of Johnston Island, 442–480
Gracilaria coronopifolia, 356
Gradungula, 277
sorenseni, 278–285
woodwardi, 282–284
GREENWAY, J. C. JR.:
Notes on Birds and Rats of Howland Island, 104–106
Gunnellichthys, 167, 168
pleurotaenia, 168
Gygis alba candida, 46
Gymnapogon gracilicauda, 450
Gymnomuraena tigrina, 447
Gymnothorax buroensis, 445, 469–471
eurostus, 445, 464, 468–471, 477
gracilicaudus, 445, 465
javanicus, 446
meleagris, 446, 465
moluccensis, 446, 465
pictus, 446, 465, 467
undulatus, 446, 465
Gyropena nissani, 324, 328, 329

HAIG, JANET:
Fishes Killed by the 1950 Eruption of Mauna Loa—Sternoptychidae, 318–323
Halichoeres ornatissimus, 453, 464
Haliclona species, 139
Halimeda, 390
gracilis, 355
incrassata, 355
opuntia f. *elongata*, 355
f. *triloba*, 355
tuna var. *platydisca*, 355
Haminoea crocata, 111, 112
HAND, CADET:
A study of *Tetraplatia volitans* Busch (Coelenterata), 332–348
HARDY, D. ELMO:
Sphaeniscus and *Euphranta* of the Orient and Pacific (Tephritidae), 77–84
Harpe bilunulata, 453
Harpurina, 364
Harpurus, 363
fasciatus, 363
gemmatus, 401
rhombeus, 405
scopas, 405
Hasarius albocircumdatus, 70, 72
Hawaiian deep, 286
Heliopora, 401
Helix lombei, 328
heliconoides, 426
nitidissima, 426
scorpio, 326
solidiuscula, 326
(Geotrochus) cleryi simboana, 426

Helle, 16, 21
longirostris, 21, 22–23
megalyboides, 21, 23
rufescens, 21, 22
Hepatus achilles, 460
coccinatus, 363, 399
lineolatus, 460
nigricans, 460
nubilus, 364
olivaceus, 460
sandvicensis, 460
Herposiphonia secunda, 356
tenella, 356
Heteropoda nobilis, 72
regia, 71
venatoria, 70, 71
Heteroscelus icanus, 46
Hexabranchus aureomarginatus, 112, 130–133
tinkeri, 112, 128–131
Hibiscus tiliaceus, 91
HIDAKA, KOJI:
General Circulation of the Pacific Ocean, 183–220
Hippa pacifica, 382–386
Holacanthus loriculus, 459
Holocentrus erythraeus, 449
lacteoguttatus, 449, 465
leo, 449
microstomus, 449, 465, 467
sammara, 449, 465
spinifer, 449, 465
tiere, 449, 465
Holotrachys lima, 449, 465
Howland Island, Its Birds and Rats, as Observed by a Certain Mr. Stetson in 1854, 95–106
HOWLAND, LLEWELLYN:
Howland Island, Birds and Rats, 95–106
HURLEY, D. E.:
Terrestrial Amphipods of the Genus *Talitrus* Latr., 144–157
Hydatina amplustre, 114
physis, 112, 113
Hydrocoleus coccineus, 354
lyngbyaceus, 354
Hydroctena, 345, 346
Hypochilus thorelli, 277
Hyporhamphus acutus, 448
Hyptis capitata, 78

Identity of Breeding Temperatures in Southern and Northern Hemisphere Species of *Mytilus* (Lamellibranchia), 107–109
INGER, ROBERT F.:
A Revision of the Fishes of the Genus *Plesiops* Cuvier, 259–276
Inshore Fish Fauna of Johnston Island, a Central Pacific Atoll, 442–480
Ipomoea pes-caprae, 91
Istiblennius edentulus, 298–303, 477
enosimae, 299
gibbifrons, 165
zebra, 299, 303, 477

Jania rubens, 356
Jaspis stellifera, 141
Julis clepsydralis, 454
verticalis, 454
Justicia gangetica, 62

Kalendyma, 326
KAMEMOTO, H. and W. B. STOREY:
Genetics of *Asystasia*, 62–68
KARTMAN, LEO:
Body Temperature of Wild *Rattus* on Hawaii, 369
Katsuwonus pelamis, 31
Kelloggella, 161–166
oligolepis, 158, 159
Kentrocarpus hexagonus, 463
Kerguelenella, 85
stewartiana, 85–88
Keris, 361, 362
anginosus, 361
KING, JOSEPH E.:
Birds Observed on Christmas Island, 42–48
KNOX, G. A.:
Development of *Kerguelenella stewartiana*, 85–89
Kraemeria, 158–167
bryani, 477
samoensis, 158, 159, 498
Kuhlia boninensis, 471
marginata, 451, 469, 471–473, 478
sandvicensis, 469, 471–473, 477, 478
taeniura, 451, 464
Kyphosus bigibbus, 451
vaigiensis, 451, 465

Lachneria, 451
Laephichthys, 363
rostratus, 403
Lamellidea, 357
microstoma, 358
serrata, 357
solomonensis, 357–358
subcylindrica, 357, 358
Land Mollusca of Nissan Island, Solomon Islands, 324–331
Land Mollusca of the Treasury Islands, Solomon Islands, 423–429
Larus delawarensis, 47
Laurencia intricata, 356
Leiuranus semicinctus, 443, 464
Leptenchelys labialis, 443, 464
Leptopoma nitidum, 324
vitreum, 324, 330, 423, 424, 429
Leucothoe, 30
Leucothoides pacifica, 26–28
pottsi, 28
Lobularia maritima, 91
Lutjanus, 466
Lycodontis picta, 446
Lycosa sp., 70, 75
tongatabuensis, 70, 75
Lyngbya confervoides, 354
majuscula, 354
semiplena, 354
MCHUGH, J. L.:
Distribution of Black-footed Albatross off the West Coast of North America, 1949 and 1950, 375–381
Mangifera indica, 91
Maorigoeldia, 223
MARPLES, B. J.:
Spiders from Pacific Islands, 69–76
MARPLES, R. R.:
Rattus exulans in Western Samoa, 171–176
MATTHEWS, DONALD C.:
Feeding Habits of Sand Crab, 382–386

Megalybus pictus, 21
Megaprotodon strigangulus, 459
Melibe pilosa, 112, 135
Melichthys buniva, 462, 465
ringens, 462
vidua, 462, 465
Menemerus bivittatus, 70, 72
Merremia tuberosa, 91
Microdesmus, 158, 159–169
multiradiatus, 158, 159, 164, 168
Microdictyon, 138
japonicum, 355
setchellianum, 355
Mistichthys, 165
luzonensis, 163
Mocella, 328
Mollicia microphthalma, 69
Monacanthus melanocephalus, 462
sandwichiensis, 462
Moringua macrochir, 445, 464
MORTON, J. E.:
Evolution of Vermetid Gastropods, 3–15
Mulloides auriflamma, 451
Mulloidichthys auriflamma, 451, 465
samoensis, 451, 465
Muraenichthys cookei, 444, 464, 468–470, 478
gymnotus, 444, 464
laticauda, 468–470
schultzei, 444, 464
Mycale armata, 139
Myriastra debilis, 142
purpurea, 142
Myrichthys bleekeri, 445, 464
colubrinus, 445
maculosus, 445, 464
stypurus, 445
Myripristis argyromus, 449, 465
berndti, 449
murdjan, 449
Mytilus edulis, 107, 108
planulatus, 107, 108

Nanina, 326
Treasuryensis, 426
Naseus, 361
laticlavius, 362
lituratus, 460
Naso, 359–362, 365, 366
fronticornis, 361
hexacanthus, 360
lituratus, 360, 460, 465
rigoletto, 362
thynnoides, 362
tuberosus, 362
unicornis, 360, 366
vomer, 366
Nasonus, 361
Nehu, production of eggs and larvae, 31
Neocalanus, 414
Neomeris van-bosseae, 355
Neomyxus chaptalli, 461, 465
Nepenthes, 221, 224, 230
Nephila, 75
flagellans, 71, 76
prolixa, 71, 76
Nesippus, 349, 353
Nesofregetta albigularis, 44
New Copepod of the Genus *Calanus* from the Northeastern Pacific with Notes on *Calanus tenuicornis* Dana, 413–422
New Family of Spiders of the Sub-order Hypochilomorphae, 277–285
New Guinea, chemical properties of plants, 430
NEWHOUSE, JAN:
Records of Johnston Island Flora, 91–92
New Marine Chlorophyta from Southern Australia, 387–395
New Zealand Cyrtidae (Diptera) and the Problem of the Pacific Island Fauna, 16–25
Nicotiana glauca, 91
North-South Differentiation of Blenniid Fishes in the Central Pacific, 297–303
Notarchus lineolatus, 112, 116
striatus, 118
Novaculichthys taeniourus, 453, 465
Novastoa, 3–6
lamellosa, 4–6
Numenius tahitiensis, 46

Ocean currents, Pacific, 183–220
Omphalotropis bulimoides, 325
nebulosa, 324, 325, 330, 423, 426, 429
Oncodes, 16, 23
brunneus, 23
consimilis, 23, 24
nitens, 23, 24
Oniscus locusta, 145
saltator, 145
Onotoa, 140
amphiastra, 140
Opeas gracilis, 324, 329, 330, 423, 428, 429
Orchestia, 144, 146
Orpiella compluviata, 326
concava, 326
keppelli, 326
malaitaensis, 326
pamuaensis, 326
solidiuscula, 326
(Owaraha) nissani, 324, 326, 329
(O.) treasuryensis, 423, 426, 429
Oscillatoria nigro-viridis, 354
Osteology and Relationships of Certain Gobioid Fishes, with Particular Reference to the Genera *Kraemeria* and *Microdesmus*, 158–170
OSTERGAARD, JENS MATHIAS:
Opisthobranchiates from Hawaii, 110–136
Ostracion cubicus, 463
lentiginosum, 463, 465
meleagris, 463
punctatum, 463
solorensis, 463, 464

Pacific Ocean, circulation of, 183–220
Padina commersonii, 355
Palaeohelicina egregia, 423, 426, 429
Palaina commixta, 425
gardneri, 423, 424, 429
macgillivrayi, 424
PALMER, HAROLD S.:
Geomorphic Contrasts Within the Koolau Range of Oahu, Hawaii, 304–317
Paludinella solomonensis, 324, 325, 329
Pandanus, 233
sp., 91

Papuina (Pinnadena) periwonensis, 327–329
(solmopina) gamelia, 427, 429
hargreavesi, 427
Papusuccinea simplex, 423, 426, 429
Paracanthurus, 359, 360, 362, 365, 396, 408
hepatus, 397, 408, 409
lambdurus, 408
theuthis, 408
Paracirrhites bimacula, 452, 465
Paragobioides, 158, 162, 167, 168
copleyi, 158, 159, 161, 164, 168, 169
grandoculis, 167, 168
PARAMONOV, S. J.:
New Zealand Cyrtidae, 16–25
Paranesippus, 349
incisus, 349–353
Paranesippus incisus n. gen., n. sp., a New Parasitic Copepod of the Family Pandaridae, 349–353
Parapetalus, 60
hirsutus, 60, 61
Paraplesiops, 260
Parkraemeria, 167
Partula (Melanesica) cf. *carteriensis*, 324, 329, 330
cinerea, 423, 428
micans, 428
perlucens, 428
sp., 429
Parupeneus barberinus, 451, 464
bifasciatus, 451, 465
chryserydros, 451, 465
crassilabris, 451
multifasciatus, 451, 464
pleurostigma, 465
trifasciatus, 451
Pedilanthus tithymaloides, 91
Pellina carbonilla, 139
Persea americana, 92
Pervagor melanocephalus, 462, 464
Petaloconchus, 3, 4, 6
Phaethon lepturus dorotheae, 47
rubricauda melanorhynchos, 44
Pharopteryx melas, 270
nakaharae, 266
nigricans, 262, 266
semeion, 270
Philopota, 16
Pholcus ancoralis, 70, 71
Phormidium corium, 354
Physalia utriculus, 382
Physocyclus globosus, 70, 71
Placobranchus ianthobapsus, 112, 120
Placospongia, 140
Placostylus, 331
(placocharis) founaki, 423, 428, 429
plants, chemical properties of in New Guinea, 430
Platophrys mancus, 462
Plectroglyphidodon johnstonianus, 453, 465
Plesiops, 260
altivelis, 259, 260
cephalotaenia, 260–263, 266, 268, 272–275
coeruleolineatus, 259, 261–264, 265–270, 274
corallicola, 260–262, 265–270
gigas, 260
melas, 259, 270
multisquamata, 261–264, 266, 268–269
nakaharae, 266–267
nigricans, 259, 261–270
oxycephalus, 259–263, 265, 266, 268, 269, 274, 275
semeion, 270
Pleurobranchus delicatus, 112, 118
Plexippus payculli, 70, 72
Plumaria elegans, 292, 294
Plumariopsis pellucida, 292
Plumbago auriculata, 92
Plumeria acuminata, 92
Pluvialis dominica fulva, 46
Pocockiella variegata, 355
Polydactylus sexfilis, 461, 465
Polyipnus nuttingi, 318–320
spinosus, 319, 320
Polynemus kuru, 461
Polyopes clarionensis, 382, 384
Polypodium, 345
Pomacanthus imperator, 467
Porites compressa, 134
Preliminary Phytochemical Survey of Papua-New Guinea, 430–441
Priacanthus cruentatus, 451, 465
Priodon, 361
annulatus, 361
Priodontichthys, 361
Prionolepsis, 362
hewitti, 362
Prionurus, 359, 360, 362, 365
microlepidotus, 362
punctatus, 362
Pristipomoides sieboldii, 451
Procelsterna cerulea cerulea, 46
Prosaetes, 349, 353
Psammichthys, 167
Pseudamiops gracilicauda, 450, 465
pellucidus, 450
Pseudocheilinus hexataenia, 454
octotaenia, 454, 465
sp., 453, 465
Pseudochlorodesmis, 388
Pseudochromichthys riukianus, 266
Pseudocodium australasicum, 390
devriesii, 390
Pseudocyclotus levis levis, 324, 325, 330, 423, 426, 429
Pseudogramma polyacantha, 451, 465
Ptereleotris, 159–166
microlepis, 158, 159
Pterodroma alba, 44
Ptilota, 294
pellucida, 292
plumosa, 292
Puffinus nativitatus, 44
pacificus chlororhynchus, 47
Pupina keraudreni, 324, 325, 424
solomonensis, 325, 330, 423, 424, 429
Pygaeus, 361
Pyxipoma, 10–12
weldii, 10

Rabula fuscomaculata, 446, 465
Rachionotomyia caledonica, 227
RANDALL, JOHN E.:
Analysis of the Genera of Surgeon Fishes (Acanthuridae), 359–367
Revision of the Genera *Zebrasoma* and *Paracanthurus*, 396–412
Rattus concolor, 171, 173
exulans, 104, 105, 171–176, 369
hawaiiensis, 171, 172, 176, 369

huegli, 171
jessook, 171
maorium, 171, 176
micronesiensis, 171
mindanensis, 370
norvegicus, 173, 174, 176, 369
rattus, 104, 105, 173, 174, 176, 369
vitiensis, 171
***Rattus exulans* in Western Samoa**, 171–176
Remipes pacifica, 382
Remora remora, 462
Reproduction and Affinities of *Dasyptilon* (Ceramiaceae; Rhodophyceae), 292–296
Revision of the Fishes of the Genus *Plesiops* Cuvier, 259–276
Revision of the Surgeon Fish Genera *Zebrasoma* and *Paracanthurus*, 396–412
Rhinecanthus aculeatus, 462, 465
Roschera calodictyon, 356
Rupiscartes gibbifrons, 460
variolosus, 460

Salarias gibbifrons, 460, 465
Sandalodes calvus, 69, 70, 72
Sardinops caerulea, 380
Sargassum, 360
obtusifolium, 382, 384
Saurida gracilis, 443, 464
Scaevola frutescens, 42
Scarus, 455
ahula, 457, 459
bataviensis, 457
brunneus, 455
cyanogramma, 459
dubius, 454–458
duperrey, 459
erythrodon, 459
formosus, 457
forsteri, 459
gilberti, 457
jenkinsi, 457
lauia, 457
perspicillatus, 454–459
sordidus, 454–458
Schinus terebinthifolius, 92
Schultzidia johnstonensis, 445, 464
Scomberoides sancti-petri, 452
Scopas, 363
flavescens, 404
Scorpaena asperella, 461, 462
ballieui, 461, 462
coloratus, 462
coniorta, 462
corallicola, 462
galactama, 462
Scytodes marmorata, 70, 71
striatipes, 70, 71
seamounts, 286
Seirospora Giraudyi, 294
Serpulorbis, 3–9, 11
gigas, 3
zelandicus, 4–8
Sesuvium portulacastrum, 91
Sheba hombroni, 423, 427
SHERMAN, G. DONALD, *et al.*:
Laterite of Meyer Lake, Molokai, 49–55
SHIINO, SUEO M.:
Alebion echinatus from Japanese Waters, 177–182
A New Genus of Caligid Copepod Found on *Sarda*, 56
Paranessippus incisus n. gen., n. sp., a New Parasitic Copepod, 349–353
Siliquaria, 5, 8, 10
maoria, 5
Siphonaria, 86
algesirae, 88
atra, 88
australis, 86, 88
belcheri, 88
cochleariformis, 88
cookiana, 86, 88
japonica, 88
kurracheensis, 88
lepida, 88
pectinata, 88
sipho, 88
zelandica, 86, 88
Siphonata elongata, 114
Smeringopus elongatus, 70, 71
Solanum lycopersicum, 91
Some Opisthobranchiate Mollusca from Hawaii, 110–136
Spermothamnion, 294
***Sphaeniscus* Becker and *Euphranta* Loew of the Oriental and Pacific Regions (Tephritidae-Diptera)**, 77–84
Sphaeniscus, 77
atilia, 78
binoculatus, 77
neivae, 77
quadrincisus, 77
sexmaculatus atilia, 77, 78
Spheniscomyia, 77
apicalis, 77
binoculata, 77
sexmaculata, 78
Sphyraena japonica, 461
Sphyrna diplana, 177, 182
zygaena, 177, 182
Spiders from some Pacific Islands, 69–76
Spirastrella decumbens, 140
potamophora, 140
Spiroglyphus, 3, 4, 6, 7
Sponges of Onotoa, 137–143
Spongia officinalis, 138
zimocca canaliculata, 138
zimocca irregularis, 138
Spongosorites porites, 140
Sporobolus virginicus, 91
Staurella, 77, 79, 82
circumscripta, 82
crux, 83
flavina, 82
Staurocneros, 79
punctilabris, 80
Stephopoma, 5, 8–12
roseum, 5, 8, 9
Sterna fuscata, 105
fuscata oahuensis, 46
lunata, 47
Sternoptyx diaphana, 318, 319
obscura, 319
Stethojulis axillaris, 454, 465
Stolephorus purpureus
production of eggs and larvae, 31–41
STOREY, W. B. and H. KAMEMOTO:
Genetics of *Asystasia*, 62–68

STRASBURG, DONALD W.:
North-South Differentiation of Blenniid Fishes in the Central Pacific, 297–303
Struvea anastomosans, 355, 356
Studies on the New Zealand Amphipodan Fauna. No. 8. Terrestrial Amphipods of the Genus *Talitrus* Latr., 144–157
Study of the Structure, Affinities, and Distribution of *Tetraplatia volitans* Busch (Coelenterata: Hydrozoa: Pteromedusae), 332–348
Sturanya modesta, 324, 325, 330, 423, 426, 429
solomonensis, 423, 426
Stylocheilus lineolatus, 116
Stylotella agminata, 137, 141
Submarine Topography South of Hawaii, 286–291
Sula dactylatra personata, 46, 105
leucogaster plotus, 46, 105
sula rubripes, 44, 105
Syncera nitida guamensis, 324, 325, 330
Synodus binotatus, 443, 464
Syrorisa mumfordi, 70, 71

Talitriator, 145
eastwoodae, 145
Talitroides, 145, 146
bonnieri, 145
eastwoodae, 152
sylvaticus, 147
Talitrus, 144–146
africanus, 147
alluaudi, 145, 147, 154
decoratus, 146
dorrieni, 147, 151–157
eastwoodae, 147
gulliveri, 146, 147
hortulanus, 147, 154
kershawi, 145, 153–155
pacificus, 146, 155
sylvaticus, 145, 147–156
tasmaniae, 147, 153
topitotum, 145, 146
Talorchestia, 144, 146
TESTER, ALBERT L.:
Variation in Egg and Larva Production of Nehu, 31–41
Tethya diploderma, 141
Tethys elongata, 112, 114
Tethytimea stellagrandis, 141
Tetragnatha panopea, 71, 76
Tetraodon meleagris, 463
Tetraplatia chuni, 332–339
volitans, 332–348
Teuthis, 363
hepatus, 364, 408
Teuthys, 364
Thalasseus bergii cristatus, 46
Thalassia, 138, 139
Thalassoma aneitense, 454
ballieui, 454, 464
duperrey, 454, 464
lutescens, 454, 465, 467
purpureum, 454, 465
quinquevittata, 455, 464
Theoretical Study on the General Circulation of the Pacific Ocean, 183–220
Thevetia peruviana, 91
Thorectopsamma mela, 138
Thorellia ensifera, 70, 72
Timma, 165
Titaniferous-Ferruginous Laterite of Meyer Lake, Molokai, Hawaii, 49–55
Tornatellinid Land Mollusk from the Solomon Islands, 357–358
Tournefortia argentea, 42
Trachurops crumenophthalmus, 452
Triacanthurodes, 362
Tripteroides, 221
apicotriangulata, 222
argenteiventris, 224
argyropa, 223
atripes, 222, 224
caledonica, 221–246
coheni, 223
collessi, 223
distigma, 223
folicola, 223–227, 230–233, 240
melanesiensis, 222–244
microlepsis, 224
punctolateralis, 224
purpurata, 223, 224
rotumana, 222–227, 243–246
solomonis, 224
tasmaniensis, 222, 223
Tripteroides caledonica Complex of Mosquitoes in Melanesia (Diptera: Culicidae), 221–246
Trite gracilipalpis, 75
longipalpis, 70, 74
Trochomorpha, 331
Trypeta atilia, 78
formosana, 78
melaleuca, 78
sexincisa, 78
Turbinaria ornata, 382, 384
Turritella, 8, 12, 14
Two New Pelagic Tunicates from the Eastern Pacific Ocean, 247–253
Two New Spongicolous Amphipods (Crustacea) from California, 26–30

Uloborus geniculatus, 70, 71
tenellus, 70, 71
Ulva fasciata, 382, 384
Undinula vulgaris, 416
Upeneus barberinus, 451
chryserydros, 451
preorbitalis, 451
vanicolensis, 451
velifer, 451
Uropterygius dentatus, 446, 447, 464
fuscoguttatus, 446, 447, 465
polyspilus, 447, 464
supraforatus, 446
tigrinus, 447, 465

Valonia aegagropila, 355
ventricosa, 355
Vanda sp., 92
Variation in Egg and Larva Production of the Anchovy, *Stolephorus purpureus* Fowler, in Kaneohe Bay, Oahu, During 1950–1952, 31–41
Velella pacifica, 382
Vermetus, 3–6
novae-hollandiae, 3–6
Vermicularia, 12, 14
spirata, 12
Vernonia cinerea, 92

Vini kuhlii, 47
Vitreola sagitta, 159

WEBB, L. J.:
Phytochemical Survey of Papua-New Guinea, 430–441
Williamia, 86
vernalis, 88
WOMERSLEY, H. B. S.:
New Marine Chlorophyta from Southern Australia, 387–395
Wurdemannia miniata, 354, 356
Wyeomyia, 223

Xesurus, 362
maculatus, 362

Zabrasoma agaña, 404
Zanclus canescens, 459
cornutus, 459, 465
Zebrasoma 359–361, 363, 365, 396–407
deani, 361
flavescens, 363, 396–398, 400, 402, 404–407, 460, 465
gemmatum, 363, 396–398, 400–402
hypselopterum, 399
rhombeum, 405
rostratum, 396–398, 400, 403, 405
rostratus, 363
scopas, 363, 397, 398, 400, 402, 405–407
supra-alba, 405, 407
velifer, 398
veliferum, 363, 397–401, 404, 406, 407
xanthurum, 396–398, 400, 402
Zonogobius farcimen, 460, 464